Author Index of Volume 161

Arnold, J. C., 213

Bhatia, V. K., 193
Bisht, R. P. S., 193
Brown, C. A., 61

Capone, G., 121
Chandrasekaran, T., 105
Charles, P. D., 61
Chesters, S., 61
Chiao, Y. S., 155

D'Agostino, V., 121

Fegredo, D. M., 29
Furuichi, H., 17

Geng, G., 41
Guida, D., 121
Guo, D. Z., 173
Guzenkov, S. I., 79

Honda, F., 187
Horng, J. L., 155
Hutchings, I. M., 213
Hwang, C. C., 93

Ikada, Y., 179
Ikeuchi, K., 179

Jeng, M.-C., 111
Johnsen, W. A., 61

Kalousek, J., 29
Karamış, M. B., 199
Kazama, T., 161
Kishore, 105
Klimovich., A. F, 79
Komaraiah, M., 1
Kometani, T., 187

Langguth, K., 127
Levy, A. V., 41
Li, J. Z., 173

Lin, C. A., 155
Lin, J. R., 93
Lin, S. J., 155
Lin, T.-R., 145
Lu, W., 11
Luo, Q., 11

Michalski, J., 135

Nakajima, K., 187
Narasimha Reddy, P., 1
Norikane, H., 179

Ohsumi, T., 179

Pan, F. M., 155
Pawlus, P., 135

Rapoport, L., 23
Ryssel, H., 127

Saba, C. S., 87
Sakaguchi, Y., 207

Schmid, S. R., 207
Shehata, M. T., 29
Sivasankaran, G. A., 193
Smith, H. A., 87
Subramanian, C., 53

Takii, T., 179
Tomita, N., 179

Uyama, Y., 179

Valle, S. D., 121

Wang, B., 41
Wang, L. J., 173
Wang, Y., 69
Wilson, W. R. D., 207

Xie, J., 11

Yamaguchi, A., 161
Yan, L.-Y., 111

Subject Index of Volume 161

Al_2O_3(p)–6061Al composites
studies of Al_2O_3(p)–6061Al composites under dry sliding conditions using scanning electron microscopy, energy-dispersive spectrometry and X-ray diffractometry, 155
Alloy rail steel
the effect of progressive minor spheroidization on the dry-wear rates of a standard carbon and a Cr–Mo alloy rail steel, 29
Alumina
environmental effects on wear behaviour of alumina, 111
Aluminium–12.3wt.%silicon alloy
on mechanical mixing during dry sliding of aluminium–12.3wt.%silicon alloy against copper, 53

Ball bearing steel
effect of microstructure and hardness on the grinding abrasive wear resistance of a ball bearing steel, 105
Bearing and seal parts
optimum design of bearing and seal parts for hydraulic equipment, 161
Brinkman-extended Darcy model
lubrication of short porous journal bearings — use of the Brinkman-extended Darcy model, 93

Coimplantation
wear of steels after implantation of aluminium and coimplantation of aluminium and oxygen ions, 127
Cooled 1018 steel
erosion and corrosion of cooled 1018 steel, 41
Copper
structure of repeatedly rubbed oxygen-free, high conductivity copper, 17
on mechanical mixing during dry sliding of aluminium–12.3wt.%silicon alloy against copper, 53
Cu–Ni–Zn
tribochemical characterization of the worn surface of the ternary system Cu–Ni–Zn, 187
Cylinder surfaces
characterization of the shape of the roughness profile ordinate distribution of honed cylinder surfaces, 135

Dimethylacrylamide
water lubrication of polyurethane grafted with dimethylacrylamide for medical use, 179
Dry-wear rates
the effect of progressive minor spheroidization on the dry-wear rates of a standard carbon and a Cr–Mo alloy rail steel, 29

Electrophysical processes
role of the environment in electrophysical processes occurring in polymer friction, 79
Environmental effects
environmental effects on wear behaviour of alumina, 111

Ferrography
ferrographic analysis of polyphenyl ether fluids, 87
Flour milling roller
investigation of the wear failure mechanism of a flour milling roller, 11
Fractal analysis
fractal analysis of topographic data by the patchwork method, 61

Hard coatings
friction and wear performances of detonation-gun- and plasma-sprayed ceramic and cermet hard coatings under dry friction, 69

Implantation
wear of steels after implantation of aluminium and coimplantation of aluminium and oxygen ions, 127

Jojoba oil
additive properties of jojoba oil for lubricating oil formulations, 193
Journal bearings
lubrication of short porous journal bearings — use of the Brinkman-extended Darcy model, 93

LiF single-crystal deformation
peculiarities of LiF single-crystal deformation in Vaseline oil at elevated temperatures, 23
Low chromium white cast iron
erosive wear of low chromium white cast iron, 173

Micropolar fluids
analysis of film rupture and re-formation boundaries in a finite journal bearing with micropolar fluids, 145

Oil-in-water emulsions
a dynamic concentration model for lubrication with oil-in-water emulsions, 207

Plasma-nitrided gearing steel
experimental study of the abrasive wear behaviour of plasma-nitrided gearing steel, 199
Polymer friction
role of the environment in electrophysical processes occurring in polymer friction, 79
Polyphenyl ether fluids
ferrographic analysis of polyphenyl ether fluids, 87
Polyurethane
water lubrication of polyurethane grafted with dimethylacrylamide for medical use, 179

Roughness
characterization of the shape of the roughness profile ordinate distribution of honed cylinder surfaces, 135
Rubber
erosive wear of rubber by solid particles at normal incidence, 213

Stick–slip instability
influence of the variation between static and kinetic friction on stick–slip instability, 121

Tool materials
relative performance of tool materials in ultrasonic machining, 1

Ultrasonic machining
relative performance of tool materials in ultrasonic machining, 1

Wear failure
investigation of the wear failure mechanism of a flour milling roller, 11